



Love of life begins here, with Rcom products

Rcom KINGSURO
MAX 20
MX-SURO



Product name	Rcom KINGSURO MAX 20
Manufacturer	AUTOELEX
Brand	Rcom
Model	MX-SURO
Origin	MADE IN KOREA

DIGITAL INCUBATOR
Rcom

Ranked TOP!!

Credit evaluation in the global incubators market

By FACT. MR, research agency in Ireland



High-reliability incubator for hatching of rare birds

Rcom KINGSURO MAX 20

World's Best Selling



Automatic Temperature & Humidity control

The Rcom KINGSURO MAX 20 is the incubator with credibility to have a superior design and function which help in controlling optimum incubation conditions.




Auto Egg Van

Automatic egg turning function with Auto Egg Van (Cradle). and low-noise egg-turning motor.

* Egg-turning stop setting necessary 3 days before hatching day.




**EGG
VAN**



APS (Automatic Pumping System)

Humidification is controlled automatically by APS.



Cooling control cycle setup function

What is the cooling control cycle setup function?

It is an implementation of times like when a hen is not brooding the eggs away for feeding, a function that cools down for the set time out of 24 hours a day.


Natural cooling provides the environment which is most similar to the conditions in chicken hatching.

(Periodic cooling helps to achieve hatching successfully, but prior knowledge may be required to perform cooling functions.)



Tray + Divider

A tray + divider is included which can be used by adjusting the divider interval according to the egg size, so can hatch a various eggs at once.



Air Vent (Air Controlling Lever)

Variable air control lever to control air amount inside the incubator.




Buzzer with abnormal conditions

Rcom KINGSURO MAX 20 notifies you when abnormal temperature occurs with buzzer.




Detachable controller

One touch detachable electric controller.



Rcom's optimum air flow technology


Applying Rcom's optimum air flow technology to avoid the fan's air from directly touching egg.
In addition, the bottom and the tray have a double structure, so the insulation in good.



Double insulated structure

Tray with embossed feature for preventing skid

The tray where the newborn bird steps on is embossed with an anti-slip treatment to prevent leg deformity.



Clean and transparent large view window

View window for minimizing the influence of outside temperature.



High-reliability incubator for hatching of rare birds

Incubation environment except for general poultry is controlled automatically.




Hatchery egg

Hatchery egg means fertilized egg for incubation. Hatchery egg should be fertilized egg, but it does not mean every fertilized egg can be hatched.


Hatching result can be different from egg condition. For being a good hatchery egg, mother birds need to be under good nutritious state.

Also, eggs should be incubated before 7days passed after laid out. It's better to keep at the place with temperature of 10-16°C and 70% humidity avoiding direct ray of light before start incubation. Eggs with cracks on eggshell, abnormal shape or eggs with contaminated eggshell are not good as hatchery eggs.



Fertilized Egg

Fertilized egg is an egg laid by mating a hen and a cock. So, it can become a chicken.



Unfertilized Egg

Unfertilized egg is an egg we generally eat. As an unfertilized egg is laid by a hen alone, it cannot become a chicken.

SPECIFICATION

Name	Rcom KINGSURO MAX 20
Model NO.	MX-SURO
Capacity	Cickc egg size 24EA / Duck egg size 20EA / Goose egg size 9 ~ 12EA / Pheasant egg size 40EA / Quail egg size 60EA / Amazone, Macaw 36EA
Temp. Control	Automatic
Temp. Limits	20 ~ 42°C / 68 ~ 107.6°F
Humi. Control	Automatic
Humi. Limits	20 ~ 70% (It can be changed according to the conditions)
Egg-turning	Automatic (Egg-turning stop setting necessary 3 days before hatching day)
Display	FND
Power	AC 100-120V, 50/60Hz / AC 220-240V, 50/60Hz
Power consumption	MAX. 48W / Average 25W (EGG VAN - Average 3W)
Size	(W)370 x (L)231 x (H)209mm (W)432 x (L)231 x (H)262mm (Including EGG VAN)
Weight	1.9kg / 2.5kg (Including EGG VAN)

BASIC PRODUCT INFORMATION

Manufacturer	AUTOELEX CO., LTD.
Country of manufacture	KOREA

* You will be asking for service charge if you are in below cases.

- Broken or Problem caused by 'No cleaning' or 'Improper handling'
- Broken or problem caused by 'Not using distilled water'
- Broken or problem caused by 'Trying Bird brooding in incubator' (Please don't try bird brooding in incubator. Please use Brooder during bird brooding.)
- Broken or problem caused by 'Wrong controlling(Using)'
- Broken or Problem caused by using the machine out of User's Manual.
- Broken or problem caused by 'Customer's mistake or fault'

* Successful hatching depends on many numbers of factors. Neither Autoelex (Rcom) nor its global distributors and vendors can be held responsible for loss of life or property damage caused by user neglect, alteration, modification or painting, change of use or power failure. To avoid errors, mishaps and danger, carefully check this User Manual before initial use. Also please check the manual regularly to ensure your operation of the machine is correct.

AUTHORISED DISTRIBUTOR



- OFFICE : 1066, Civil Lines, Station Road
Jhansi, U.P- 284001, INDIA
- Contact : +91-9559777053
- E-MAIL : thepetsnation@gmail.com
info@petsnation.in
- Website : www.petsnation.in

CLICK ON DISTRIBUTOR TO CONTACT ON WHATSAPP