



Love of life begins here, with Rcom products



Product name	Rcom MAX 20 DO
Manufacturer	AUTOELEX
Brand	Rcom
Model	MX-20DO
Origin	MADE IN KOREA



Ranked TOP!!

Credit evaluation in the global incubators market

By FACT. MR, research agency in Ireland





Artificial intelligence incubator

Rcom MAX 20 DO

The Greatest Life Creation
with Superb Technique



Artificial intelligence incubator (Automatic Temperature & Humidity control)

Smarter Rcom MAX 20 DO shows high accuracy by minute checking the set temperature and humidity.
Minimized temperature anomaly by AUTOELEX's very own integrated incubating technology.
Don't have to worry about maintaining the temperature and humidity.



Easy with jog-dial

DO model is easy to operate as dial button is applied.
And you can easily check the current condition by color of the ambient LED light.



20 DO's unique egg candling system

Incubator included egg candler, External egg candler is unnecessary.




* This is a scene to help consumers understand.

* Observe it with the light switched off, for example, in a dark room by day.

Automatic egg-turning function

Rcom MAX 20 DO turns automatically according to the settings and low-noise stepping egg-turning motor.

* Egg-turning stop setting necessary 3 days before hatching day.



Cooling control cycle setup function

What is the cooling control cycle setup function?

It is an implementation of times like when a hen is not brooding the eggs away for feeding, a function that cools down for the set time out of 24 hours a day.

Natural cooling provides the environment which is most similar to the conditions in chicken hatching. (Periodic cooling helps to achieve hatching successfully, but prior knowledge may be required to perform cooling control functions.)



Drying mode


After hatching, the drying mode quickly removes invisible moisture remaining inside and reduces cleaning time.
Enables hygienic management without worrying about odor or mold.



Universal tray + Divider set included

A universal tray + divider set is included which can be used by adjusting the divider interval according to the egg size, so can hatch a various eggs at once.

* Small egg tray, standard egg tray, large egg tray, rolling divider sold separately.




Anti-bacterial humidification unit

Rcom's own humidification unit with a new patented technology greatly improves durability.
Use without any worries since it extinguishes bacteria by heating the humidification water.



Slide plate with embossed feature for preventing skid

The egg-turning plate where the newborn bird steps on is embossed with an anti-slip treatment to prevent leg deformity.



Built-in control box

The upgraded built-in control box enables easy replacement and convenient maintenance.



FND Display

You can check various information through the large FND window.




20 ~ 42°C / 68 ~ 107.6°F

30 ~ 70%

Alarm when water need replenishing and buzzer with abnormal conditions

There is no need to check the water shortage often. Rcom MAX 20 DO notifies you when water is low, so you can easily determine the condition and alarm sounds when abnormal temperature occurs.

* Incubation data memory function and power outage notification function in case of power failure.




High-reliability incubator for hatching of rare birds

Incubation environment except for general poultry is controlled automatically.



Body locking device

The main body can be easily detached for convenient cleaning



Handle on window

Handle is applied on the window for easy open and close.
Double-glazed view window for minimizing the influence of outside temperature.






➤ Hatchery egg

Hatchery egg means fertilized egg for incubation. Hatchery egg should be fertilized egg, but it does not mean every fertilized egg can be hatched.


Hatching result can be different from egg condition. For being a good hatchery egg, mother birds need to be under good nutritious state.

Also, eggs should be incubated before 7days passed after laid out. It's better to keep at the place with temperature of 10~16°C and 70% humidity avoiding direct ray of light before start incubation. Eggs with cracks on eggshell, abnormal shape or eggs with contaminated eggshell are not good as hatchery eggs.



Fertilized Egg

Fertilized egg is an egg laid by mating a hen and a cock. So, it can become a chicken.



Unfertilized Egg

Unfertilized egg is an egg we generally eat. As an unfertilized egg is laid by a hen alone, it cannot become a chicken.

➤ Main features of Rcom 20 vs Rcom 20 DO

20



20_{DO} NEW



Built-in control box



PX-20 / MX-20	Model NO.	PX-20 DO / MX-20 DO
Membrane button	Control	Membrane + Jog dial button
X	Candling facility	✓
X	Main body drying function	✓
✓ (PRO 20 only)	One-touch button setting for early and end stage incubation	✓
Existing	Humidity unit	Improved durability
X	LED ambient light	✓
Stepping egg-turning motor	Turning motor	Stepping egg-turning motor
Inseparable all-in-one system	Control box	Separable built-in control box
X	WIFI Automatic calibration	✓
X	Window handle	✓
Chick Egg Size 20EA	Capacity	Chick Egg Size 20EA
20~42°C (68~107.6°F)	Temp. Limits	20~42°C (68~107.6°F)
30~70%	Humi. Limits	30~70%
LCD / FND	Display	LCD / FND

SPECIFICATION

Name	Rcom MAX 20 DO
Model NO.	MX-20DO
Capacity	Universal egg tray + Divider (Different from the species of egg)
Temp. Control	Automatic
Temp. Limits	20 ~ 42°C / 68 ~ 107.6°F
Humi. Control	Automatic
Humi. Limits	30 ~ 70% (It can be changed according to the conditions)
Egg-turning	Automatic (Egg-turning stop setting necessary 3 days before hatching day)
Display	FND
Power	AC 100-120V, 50/60Hz / AC 220-240V, 50/60Hz
Power consumption	MAX. 65W / Average 48W
Size	(W)500 x (L)410 x (H)160mm
Weight	4.5kg(N.W.) / 5.5kg(G.W)

BASIC PRODUCT INFORMATION

Manufacturer AUTOELEX CO., LTD.

Country of manufacture KOREA

- * You will be asking for service charge if you are in below cases.
- Broken or Problem caused by 'No cleaning' or 'Improper handling'
 - Broken or problem caused by 'Not using distilled water'
 - Broken or problem caused by 'Trying Bird brooding in incubator' (Please don't try bird brooding in incubator. Please use Hatcher during bird hatching.)
 - Broken or problem caused by 'Wrong controlling(Using)'
 - Broken or Problem caused by using the machine out of User's Manual.
 - Broken or problem caused by 'Customer's mistake or fault'

* Successful hatching depends on many numbers of factors. Neither Autoelex (Rcom) nor its global distributors and vendors can be held responsible for loss of life or property damage caused by user neglect, alteration, modification or painting, change of use or power failure. To avoid errors, mishaps and danger, carefully check this User Manual before initial use. Also please check the manual regularly to ensure your operation of the machine is correct.

AUTHORISED DISTRIBUTOR



- OFFICE : 1066, Civil Lines, Station Road
Jhansi, U.P- 284001, INDIA
- Contact : +91-9559777053
- E-MAIL : thepetsnation@gmail.com
info@petsnation.in
- Website : www.petsnation.in

CLICK ON DISTRIBUTOR TO CONTACT ON WHATSAPP